

Schindler

5000

Plus

We Elevate



Schindler



Enhancing the urban
experience by connecting
people to cutting-edge
mobility solutions in buildings



We
Elevate

2 billion

people every day

About Schindler

Our elevators, escalators, and moving walks transport more than 2 billion people up and down buildings and across transit hubs every day. With our customers, we help organize cities: moving people and goods and connecting transportation systems.

Global presence

Approximately 70,000 employees in over 100 countries serve our customers from over 1,000 branch offices worldwide, run production sites in eight countries, and operate six R&D facilities around the world.

Responsibility

We are committed to achieving ambitious short-term climate goals such as transitioning to 100% renewable electricity and implementing the ISO 50001 energy management system across all major production sites.

Customer excellence

We're dedicated to customer satisfaction and product excellence, with a focus on delivering exceptional service throughout the life span of your equipment. This commitment helps us build lasting, trust-based relationships with our clients.

Revolutionizing the
way we move
since 1874

1874

Founded by Robert Schindler and Eduard Villiger in Lucerne, Switzerland

1892

Built first electric elevator with belt drive

1906

Established first international venture in Germany

1936

Installed the first escalator

1974

Expanded to Asia-Pacific with Jardine Schindler joint venture

1980

Established first industrial joint venture of the People's Republic of China with a western company

1990

Developed world's first hall call destination system, Miconic 10

1998

Began operations in Schindler India Pvt.

2009

Introduced our transit management system, Schindler PORT

2024

Launched Schindler Designs, featuring refined interiors and a new digital experience

We are focused on ensuring safety, quality, and customer satisfaction, coupled with unwavering integrity and trust. Built on a legacy spanning five generations, these values form the foundation of our organization.

Leveraging our long history, we stand ready to support customers throughout the entire life span of their vertical transportation systems, ensuring reliability and innovation for years to come.



Product overview

Our Schindler RePlace solutions

From small residential buildings to soaring skyscrapers, Schindler RePlace elevators are digitally enabled to provide reliable, energy-efficient, and seamless vertical mobility. These solutions play a pivotal role in enhancing the overall quality of life in urban settings to keep people moving – even in older buildings.

Residential

3000 Plus

Stylish, comfortable, essential. The Schindler 3000 Plus is designed for function, simplicity, and style.

Max 1.6m/s Max 1150 kg Max 75 m

Commercial

5000 Plus

Striking, flexible, effective. The Schindler 5000 Plus boasts bold interiors, versatile car sizes, and efficient performance options.

Max 2.5m/s Max 1360 kg Max 80 m

Premium commercial

6000 Plus

Unique, powerful, dynamic. The Schindler 6000 Plus provides a superior experience thanks to leading technologies, luxurious finishes, and higher capacities.

Max 3.0m/s Max 2600 kg Max 150 m

High-rise

7000 Plus

Soaring, versatile, trailblazing. The Schindler 7000 Plus redefines mobility in prominent global projects.

Max 10m/s Max 5000 kg Max 500 m

Schindler 5000

Striking, flexible, effective –
Ascend to excellence with
Schindler 5000 Plus.

Enjoy the perfect blend of form, function, and flexibility with a single solution that suits both commercial and high-end residential spaces. Offering exceptional adaptability and striking interior options, the Schindler 5000 Plus ensures a custom fit in many existing hoistways.

The Schindler 5000 Plus is not just about aesthetics– it's engineered for peak performance. Swiss precision ensures a ride that's faster, smoother, and environmentally friendly. With cutting-edge technology, premium materials, and energy-saving innovations, it sets a new standard for elevator efficiency and passenger comfort. Replace your outdated elevator and take your building to new heights with the Schindler 5000 Plus.





A

B

Schindler 5000 Plus — Striking
flexible
effective



Schindler 5000 Plus — Striking
flexible
effective



Ascending to excellence

The Schindler 5000 Plus delivers a swift, smooth, and energy-efficient journey – combining the latest technology, enhanced efficiency, and flexible design for perfect integration into your existing building.

Future-ready features

Our Schindler 5000 Plus takes your elevator into the future through various digital features and options. With our full range of Schindler Digital Media solutions, our media-enabled fixtures, and Schindler PORT technology, we can enhance your tenants' elevator experience – even in older buildings.

Strikingly flexible

From functional to sophisticated, pre-configured to custom, the striking interior design options available in the Schindler 5000 Plus offer unparalleled flexibility to complement the most stylish and innovative interior architecture concepts, historical designs, and renovation projects. Elevate tenant experience by creating spaces that exude comfort and style.

Smart sustainability

The Schindler 5000 Plus is engineered to contribute to a brighter future by conserving space and energy. Environmental considerations are embedded in its development, from initial design to end-of-life recycling, ensuring an energy-efficient, modular, and scalable system with a regenerative inverter for sustainable operation.

Highly effective

Comprised of meticulously crafted Swiss-engineered materials, the Schindler 5000 Plus ensures the continued performance and reliability of your elevator by replacing an outdated system. With a maximum travel up to 80 meters, speeds of up to 2.5 m/s, and a capacity of up to 1360 kilograms, it can be tailored for a perfect fit across a myriad of applications.

Key figures

Capacity	600 to 1360 kg
Travel height	Max 80 m
Stops	Up to 40 stops, with a maximum of 50 openings
Speed	1.0 to 2.5 m/s
Machine room	Machine-room-less
Group size	Up to 8 cars
Entrances	One- or two-sided
Energy efficiency classification	Class A*, according to ISO 25745-2

*The ISO 25745-2 standard regarding energy calculation and classification for lifts (elevators) is established by the International Organization for Standardization (ISO). The ISO 25745-2 standard classes range from "A" to "G", with class "A" being the most energy efficient class. The ISO 25745-2 classification and energy consumption always refers to a specific customer configuration. Usage pattern, load capacity, customer specific options and site conditions influence the final rating.

Optimize your building's potential

Our Schindler 5000 Plus is designed to blend seamlessly into your existing building. Flexible car sizes, door dimensions, and controller options enable the Schindler 5000 Plus to adapt to a wide range of spaces, keeping the impact on the building to a minimum.

Adaptable design

- All main drive, traction and control equipment sit in the shaft, making extra space available for more productive purposes
- Flexible counterweight positioning enables perfect space utilization and maximized rentable area
- Reduced headroom space and pit depth maximize the usable building space
- Schindler's Suspension Traction Media supports a smaller motor and traction sheave – 70% smaller than traditional rope machines

Flexible system

- Adjustable car width and depth, in 50 mm increments, to work within an existing hoistway
- Car heights, scalable in 100 mm increments, up to 2800 mm
- Door adjustable in 100 mm increments, with widths from 800 to 1200 mm and heights up to 2400 mm

High ride quality

- Schindler's Suspension Traction Media system provides a quiet & smooth ride
- A lubrication-free, gearless machine supports a smooth ride quality
- Advanced technology and precise installation methods can limit sound levels to below 50-60 decibels (A)*, on average – equivalent to birdsong

Energy-efficient solutions

- Permanent magnet technology, including a stable start without high peak current, helps keep energy consumption low
- Reduced stand-by power improves energy efficiency
- Recuperative technology reduces energy consumption and heat dissipation
- Regenerated energy returned to mains power

Future-ready, secure technology

- Precision stopping accuracy for easy access
- Digitally enabled for remote maintenance and Schindler ActionBoard to help facility managers monitor the equipment remotely (only available with a Schindler service contract)
- Control software developed based on the IEC 62443-4-1 ML3 standard for cybersecurity

Seamless people flow

- Compatible with banks of up to eight elevators using a conventional control system or even more with Schindler PORT
- Choice of telescopic (T2) or center-opening doors (C2) and single or double entrance to keep traffic moving efficiently

The sound of calming birdsong



*For the evaluation methodology, we comply with ISO 18738 standards. However, many factors influence the amount of noise and vibration generated by an elevator. See our Ride Quality brochure to learn more.

Elevating sustainability

Innovative solutions for a brighter future

We're committed to providing environmentally friendly solutions that align with our customers' goals for sustainability. We continuously strive to innovate and implement sustainable practices so our elevators retain the highest energy efficiency classification.


Environmental Product Declaration (EPD)

Environmental Product Declarations (EPDs) are recognized by green building certification schemes, including LEED, DGNB, Green Mark, and BREEAM, which enable Schindler customers to receive credits for their building certification projects. This is an important step in the assessment of the environmental performance of our products and underlines our continuous efforts toward sustainable solutions. We have registered EPDs at the International EPD® System for all major elevator product lines.

Class A energy efficiency classification*

Regenerative drives, LED lighting, and standby mode are just a few of the standard features in our Schindler 5000 Plus elevator. These solutions not only contribute to reducing the carbon footprint of our elevators, but also help conserve energy and lower operational costs for building owners. Additionally, several interior options are made from recyclable or natural materials.

Class A energy efficiency*



*The ISO 25745-2 standard regarding energy calculation and classification for lifts (elevators) is established by the International Organization for Standardization (ISO). The ISO 25745-2 standard classes range from "A" to "G", with class "A" being the most energy efficient class. The ISO 25745-2 classification and energy consumption always refers to a specific customer configuration. Usage pattern, load capacity, customer specific options and site conditions influence the final rating.



User experience.


Bridging the gap between physical and digital – Schindler's fixtures ensure comfort, accessibility, and a sleek design.

Linea 100


Linea 100 offers a functional design in Mercury Brushed Stainless Steel. The integrated black glass display comes with a large, red, LED dot matrix indicator. A red halo indicates call recognition, with optional Bluetooth functionality available for the fixtures.



Half height car
operating panel,
surface-mounted



Full height car
operating panel,
flush-mounted



Car position & direction indicators





Landing operating panels

Linea 300

A high-end user interface to enhance your elevator's appearance, with an intuitive, efficient design. The black glass display and accessibility-compliant buttons are positioned on elegant Carbon or Mercury Brushed Stainless Steel. Flush-mounted, this fixture perfectly fits into your elevator design.



Full height car
operating panel




Car position & direction indicators



Landing operating panels


Primea 500

Primea 500 is our sleek black glass digital fixture for buildings with up to 15 floors. An optional multimedia screen, digital directory, and Bluetooth-enabled landing fixtures help guide passengers to their destination. The screen content is seamlessly managed through Schindler ActionBoard – available only with a Schindler service contract.



Half height car operating panel with obsidian black laminate channel cover*

*Channel cover is available in Obsidian Black, as well as various steel colors to match the steel side walls.



Half height car operating panel surface-mounted with card reader



Car position & direction indicators




Landing operating panels

Primea 600

A black glass display and accessibility-compliant buttons are positioned on elegant Carbon or Mercury Brushed Stainless Steel. Available only with a Schindler service contract, the Primea 600 features an optional, easy-to-adapt digital floor directory, a customizable infotainment screen and Bluetooth-enabled landing fixtures.



Full height car operating panel



Car position & direction indicators



Landing operating panels

Rebranding of the Linea 300 to the Primea version (with multimedia) (still to be released)

Schindler ElevateMe application

Enabling passengers to personalize their experience

Activate ElevateMe in your Schindler service contract and enable your passengers to control, interact, and personalize their journey – securely* via their smartphone using the Schindler ElevateMe application.

Extended boarding

Effortlessly control door opening and closing times to conveniently accommodate wheelchair passengers, strollers, pets, large groups, or bulky items.

Customizable travel options

Revolutionary operating modes enable users to personalize their journey. Options like exclusive trip allow passengers to travel to their destination without disruption.


Visitor pass

Send personalized invitations to select individuals with guest-only elevator privileges, ensuring an efficient, seamless experience for all.

Destination call

Simply call the elevator using a QR code or a Bluetooth connection from the entrance or any nearby location, and select the destination. Enjoy greater convenience and reduced waiting time.

Your ride, your way



*Schindler cloud-based services are developed under ISO/IEC 27001:2013 certification standards. The systems are actively monitored by Schindler and regular software updates and backups are completed to ensure the solutions remain protected over time.

Schindler ActionBoard

An intuitive infotainment service for building managers

Enhance your Schindler service contract with Schindler ActionBoard. This user-friendly, secure* online platform allows you to monitor your elevator equipment from anywhere, share multimedia content to your media-enabled fixture, and manage access for your tenants and guests.

Personalized experiences

Seamlessly manage access control for tenants and guests to improve security within the building. Both card reader and keyswitch solutions are available to help securely move passengers through the building.

Transparent equipment data

Remotely access digital elevator status checks, regularly track your maintenance schedule, and view up-to-date energy consumption levels.

Easy building communication

Simplify communication within your building by sharing content directly through the Primea 500 media panel. Provide weather updates, share meaningful building information, and help guide passengers to their destination. All easily managed via the Schindler ActionBoard platform for authorized users.



Fixture screen with and without media content

Measure and monitor
your elevator

on the go



*Schindler cloud-based services are developed under ISO/IEC 27001:2013 certification standards. The systems are actively monitored by Schindler and regular software updates and backups are completed to ensure the solutions remain protected over time.

Schindler PORT

Schindler 5000 Plus elevators can seamlessly integrate Schindler PORT to effectively reduce waiting and travel times. By replacing conventional fixtures on each landing, it optimizes elevator groups based on passenger destination. Advanced software continuously monitors and improves traffic efficiency, enhancing overall elevator performance.



Schindler PORT Overlay

Your personal elevator concierge

With a Schindler PORT Overlay, Schindler PORT is implemented as the first step of a more comprehensive modernization to achieve smart mobility in a minimum amount of time. Customers will experience an immediate improvement in traffic flow, even if one car is out of service for the modernization – minimizing the impact on tenants and passengers. It's compatible with both Schindler and third-party systems.

Seamless experience

Ensure a seamless journey by guiding users effortlessly to their destination. With the ability to tailor to individual needs and access rights, along with intuitive user-friendly interfaces and touchless operation, Schindler PORT enhances the overall experience for all users.

Secure access

Pre-program and control access rights to the building's elevators, floors, and rooms for tenants and visitors from a central location. Lobby speed gates take identification and access control to new heights of efficiency – from the entrance of the building, to the elevator, to the passenger's final destination.

Highly efficient people flow

Increase handling capacity by up to 25%* and reduce waiting times by up to 20%*. Rapid technological improvements and innovation in connectivity, mobility, and computing power are enabling changes in the way we move and interact with our surroundings.

Sustainable operations

Reduce energy usage per capita by up to 20%* with Schindler PORT, making it the smart solution for your building and the environment. Additionally, Schindler PORT ECO Mode can further reduce elevator energy consumption by up to 40%*.

up to
40 %
reduction in energy
consumption with
Schindler PORT ECO Mode*



*Calculations are in comparison to previous Schindler PORT software releases and refer to a specific customer configuration. Usage patterns, load capacity, customer specific options, and site conditions may influence the final calculations.

Design



Unleash your
creative vision

Your vision, our expertise

Exceptional design isn't just visually appealing; it evokes emotions and cultivates a positive atmosphere. Schindler Designs offers a carefully curated selection of contemporary colors and materials. We empower you with the freedom to personalize your elevator according to your




unique ideas – from designing the cabin walls, floors, and doors to choosing control panels, handrails, or mirrors. Unleash your creativity and extend your aesthetic into the elevator, crafting an entirely new travel experience for your tenants and guests.






Classic



Add a soft and inviting touch with subtle laminates that feature timeless, harmonious hues or calming neutrals.






Sleek


Create a bright, clean space with stainless steel and monochromatic wall finishes that can also be seamlessly blended into many interior design concepts.







Elegant

Transform your elevator into an exclusive space with luxurious ceramics that take inspiration from the natural world.





Unique

Create a unique, exciting interior that stands out from the crowd with our textured laminates, vibrant bold colors, and engaging multimedia screens.



Always in

M




Where service meets excellence

For more than a century, we have focused on supporting our customers across all stages of a project. From design and installation to service and modernization, our professionals are there for you, at all times. We combine innovation, technological advances, and smart mobility with high ethical standards and respect for the environment. In the world's growing metropolises, our products and services ensure the quality of urban living for current and future generations.

Installation excellence

Working with you every stop of the way

Our experience helps us to better understand and address the unique challenges presented by an elevator modernization. We provide high-quality consulting, support, and coordination for the successful execution of your Schindler 5000 Plus modernization.



To ensure a smooth installation process, we'll meet with you a few weeks before the installation date to discuss the final program of works.

Our highly trained personnel endeavor to keep any noise, disruption, or dirt caused by the installation to a minimum, always showing the utmost respect for your building and its tenants and guests. We have the expertise and experience required to manage your modernization smoothly and efficiently.

Before we hand over the equipment to you, every Schindler elevator undergoes a rigorous inspection for safety and quality – the Schindler Acceptance Inspection Standard (SAIS).

More than 1,000 safety checks are completed before passengers board the elevator for the first ride. And it doesn't stop there – regular inspections and quality control measures are in place to ensure your elevator operates safely and reliably throughout its lifetime.

over
1,000
safety checks
performed*



*Safety checks are performed on every Schindler elevator before your first ride. This is the global average based on the the Schindler fulfillment process.

Above and beyond with next generation elevator service

With a new Schindler elevator, your equipment is easy to service and troubleshoot thanks to the latest digital technologies and our global expertise. All Schindler 5000 Plus elevators are digitally enabled, allowing you to benefit from faster response times, improved performance, and higher uptimes, compared to non-connected units.

Global expertise

With more than 40,000 experts around the world, and a crowd-sourced knowledge base, we strive to ensure every Schindler customer enjoys industry-leading uptime with minimal disruption.

Real-time remote services

Schindler Performance Callback is an automated callout service that monitors a newly connected elevator 24/7 and uses smart AI algorithms to organize appropriate actions whenever a breakdown happens. As part of the service, sensor and gateway technology on your elevators detect faults immediately, then trigger an automated service request which can reduce downtime by up to 34%*.

Lifetime partnership

We go beyond the initial installation of elevators, establishing lasting relationships to provide the highest-quality service and modernization of your elevator in the years to come.

Schindler Adaptive Maintenance

Schindler services can offer solutions based on a customer's units, requirements, and preferences. Tailoring services in this way ensures we can deliver the most efficient service for your building. Your units benefit from around-the-clock remote monitoring, with service and maintenance visits based on diagnostic insights to ensure your elevators receive a proactive care service.

Up to
34%
reduced
downtime*


*compared to non-connected units



Specifications

Explore your options

Schindler products and solutions are versatile, innovative, high-quality, and unique. So no matter what your elevator requirements are – we have the right model for you.



Schindler Plan & Design



Design your
perfect elevator


Experience all of these interior options in our Schindler Plan & Design tool and find the perfect elevator design for you.



Laminate matt and glossy




Laminate textured



Stainless steel



Ceramic*




*Available on rear wall only

Back-painted glass*




*Available with flush-mounted fixtures


Mirror and glass




Handrails



*Handrail ends will be straight and curved, according to EN81-70.
**Available only on the rear wall with solid steel panels



Handrail finishes




*Only available with the Straight handrail.
**Painted color only available with the Linear, Floating, and Loungerrail.

Bumper rails



Wall options


Floors



Skirting and finishes



Ceilings and finishes





*Not compliant with EN 81-70:2021 + A1:2022
**Only available for vandal resistant applications


Finishes



Finishes



Frame



	Side panels width	Top panel height	Depth
Standard frame	120	190	60
Narrow frame	50	65	60
Frameless	2	2	60


Dimensions are in mm

Connecting profile




Linea 100

Rebranding of
the Linea 300 to
the Primea version
(with multimedia)



Primea 500*



Primea 600




Schindler PORT




Old Linea 300 version

Linea 100



Linea 300



Primea 500*



Schindler PORT



Schindler

5000

Plus

MAN.5000Plus.EN.1.1.24

This publication is for general informational purposes only and we reserve the right at any time to alter the services, product design and specifications. No statement contained in this publication shall be construed as a warranty or condition, expressed or implied, as to any service or product, its specifications, its fitness for any particular purpose, merchantability, quality or shall be interpreted as a term or condition of any service or purchase agreement for the products or services contained in this publication. Minor differences between printed and actual colors may exist. Please note, all renderings and pictures shown are for illustration purpose only and may not be an exact representation of the product. Features and options may differ by model and configuration.

Copyright © 2024 Schindler Elevator Ltd. All rights reserved.



We Elevate

Schindler